



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TRANSACTIONS
OF THE
AMERICAN MATHEMATICAL SOCIETY

EDITED BY
ELIAKIM HASTINGS MOORE
ERNEST WILLIAM BROWN **THOMAS SCOTT FISKE**

**PUBLISHED QUARTERLY BY THE SOCIETY WITH
THE COÖPERATION OF**

**HARVARD UNIVERSITY
YALE UNIVERSITY
PRINCETON UNIVERSITY
COLUMBIA UNIVERSITY
HAVERFORD COLLEGE**

**NORTHWESTERN UNIVERSITY
CORNELL UNIVERSITY
THE UNIVERSITY OF CALIFORNIA
BRYN MAWR COLLEGE
THE UNIVERSITY OF CHICAGO**

**VOLUME 1
1900**

**LANCASTER, PA., AND NEW YORK
THE MACMILLAN COMPANY
AGENTS FOR THE SOCIETY
1900**

TABLE OF CONTENTS

VOLUME 1 1900

PAGES

BLAKE, E. M., of Ithaca, N. Y. Two plane movements generating quartic scrolls	421-429
BÔCHER, MAXIME, of Cambridge, Mass. On regular singular points of linear differential equations of the second order whose coefficients are not necessarily analytic	40- 52
———— Application of a method of D'Alembert to the proof of Sturm's theorems of comparison	414-420
BOLZA, OSKAR, of Chicago, Ill. The elliptic sigma-functions considered as a special case of the hyperelliptic sigma-functions . .	53- 65
CAMPBELL, J. E., of Oxford, England. On the types of linear partial differential equations of the second order in three independent variables which are unaltered by the transformations of a continuous group	243-258
CHESSIN, ALEXANDER S., of New York, N. Y. On relative motion.	116-169
COOLIDGE, JULIAN LOWELL, of Cambridge, Mass. A purely geometric representation of all points in the projective plane . .	182-192
DICKSON, LEONARD EUGENE, of Austin, Tex. Definition of the Abelian, the two hypoabelian, and related linear groups as quotient-groups of the groups of isomorphisms of certain elementary groups	30- 38
———— A new definition of the general Abelian linear group .	91- 96
———— Determination of an abstract simple group of order $2^7 \cdot 3^6 \cdot 5 \cdot 7$ holodrically isomorphic with a certain orthogonal group and with a certain hyperabelian group	353-370
GORDAN, PAUL, of Erlangen, Germany. Formentheoretische Entwicklung der in Herrn White's Abhandlung über Curven dritter Ordnung enthaltenen Sätze	9- 13
———— Die Hessische und die Cayley'sche Curve	402-413
GOURSAT, E., of Paris, France. Sur la définition générale des fonctions analytiques, d'après Cauchy	14- 16
HILL, G. W., of West Nyack, N. Y. On the extension of Delaunay's method in the lunar theory to the general problem of planetary motion	205-242
HUTCHINSON, J. I., of Ithaca, N. Y. On certain relations among the theta constants	391-394

KASNER, EDWARD, of New York, N. Y. The invariant theory of the inversion group: geometry upon a quadric surface . . .	430-498
KRAUSE, MARTIN, of Dresden, Germany. Ueber Systeme von Differentialgleichungen denen vierfach periodische Functionen Genüge leisten	287-292
LOUD, FRANK H., of Haverford, Pa. Sundry metric theorems concerning n lines in a plane	323-338
MASCHKE, HEINRICH, of Chicago, Ill. Note on the unilateral surface of Moebius	39
———— A new method of determining the differential parameters and invariants of quadratic differential quantics . . .	197-204
MILLER, G. A., of Ithaca, N. Y. On the groups which are the direct products of two subgroups	66- 71
———— On the groups which have the same group of isomorphisms	395-401
MOORE, ELIAKIM HASTINGS, of Chicago, Ill. On certain crinkly curves	72- 90
———— A simple proof of the fundamental Cauchy-Goursat theorem	499-506
MORLEY, F., of Haverford, Pa. On the metric geometry of the plane n -line	97-115
MOULTON, FOREST RAY, of Chicago, Ill. On a class of particular solutions of the problem of four bodies	17- 29
OSGOOD, W. F., of Cambridge, Mass. On the existence of the Green's function for the most general simply connected plane region	310-314
PELL, ALEXANDER, of Vermillion, So. Dak. "D" lines on quadrics.	315-322
PUPIN, M. I., of New York, N. Y. Wave propagation over non-uniform electrical conductors	259-286
SMITH, PERCEY F., of New Haven, Conn. On surfaces enveloped by spheres belonging to a linear spherical complex	371-390
VAN VLECK, EDWARD B., of Middletown, Conn. On linear criteria for the determination of the radius of convergence of a power series.	293-309
WHITE, HENRY S., of Evanston, Ill. Conics and cubics connected with a plane cubic by certain covariant relations	1- 8
———— Plane cubics and irrational covariant cubics	170-181
WILCZYNSKI, E. J., of Berkeley, Cal. An application of group theory to hydrodynamics	339-352
WILSON, EDWIN B., of New Haven, Conn. The decomposition of the general collineation of space into three skew reflections . .	193-196
Notes and errata: volume 1	507-509